

### 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: Fireshield TimberOne

Other names: Not Assigned

Recommended Use: Water based intumescent coating for timber

Product codes: Not Assigned
Group Approval: Not Applicable

Supplier: Fireshield, a division of Fire Protection Coatings Limited

NZBN: 9429041746059

Address: 825 Colombo, Christchurch 8013, New Zealand

Contact Number: Ph: 0800 FIRESHIELD (0800 347374)

Email: info@fireshieldcoatings.com
Website: www.fireshieldcoatings.com

Emergency Number: Ph: 111- Police, Ambulance and Fire Brigade

Poison Information Centre: Ph: 0800 764 766

### 2. HAZARDS IDENTIFICATION

Classified as not hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

HSNO Classification :

Not applicable as there are no known hazards

Prevention statement :

Not applicable as there are no known hazards

### 3. COMPOSITION INFORMATION

This product does not contain any substance that is classified as hazardous to health or environment

### 4. FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If breathing difficulties occur, seek medical advice.

**Skin contact:** For gross contamination, immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water. Seek medical assistance if symptoms remain

**Eye contact:** If in eyes wash out immediately with water. Seek medical attention.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Seek medical advice.

**Most important symptoms caused by exposure, acute and delayed:** Frequent or repeated contact may degrease the skin, resulting in non-allergic contact dermatitis. Eye contact may cause irritation.

**Notes to physician:** Treat symptomatically.

Product name: Fireshield TimberOne SDS No: FSTOBNZ01

Issued: 01 December 2023 Page: 1 of 5

Safety Data Sheet



## Fireshield TimberOne

### **5. FIRE-FIGHTING MEASURES**

**Flammability** - The product is water based and is not combustible.

**Extinguishing media** - Use appropriate for surrounding materials. Suitable extinguishing media may include water spray, carbon dioxide, dry powder or foam.

Hazardous combustion products: Carbon and nitrogen oxides may be formed.

**Special hazards arising from the substance or mixture - Not available.** 

Advice for fire fighters - Not available.

### **6. ACCIDENTAL RELEASE MEASURES**

#### **SMALL SPILLS**

Wear protective equipment to prevent skin and eye contamination. Wipe up with absorbent (clean rag or paper towels). Place in a suitable, labelled container for waste disposal.

#### **LARGE SPILLS**

Shut off all possible sources of ignition. Clear area of all unprotected personnel. Prevent further leakage or spillage if safe to do so. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. Use a spark-free shovel. If contamination of sewers or waterways has occurred advise local emergency services.

### 7. HANDLING AND STORAGE

**Handling:** Avoid skin and eye contact and inhalation of vapour, mist or aerosols. Prohibit eating, drinking and smoking in work areas. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Storage:** Store at a minimum temperature of 5°C. Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat or ignition. Keep containers closed when not in use - check regularly for leaks.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Substance with an exposure limit: Propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m³):

474(total)/10(particulates)

### **Exposure controls:**

If used according to the handling and storage guidelines, there are no health risks. Observe the general safety and hygiene measures. Wash and nourish the skin after work.

Biological exposure monitoring: No exposure limits set in the Workplace Exposure Standards and Biological Exposure

Product name: Fireshield TimberOne SDS No: FSTOBNZ01

Issued: 01 December 2023

Page: 2 of 5

Safety Data Sheet



## Fireshield TimberOne

Indices (2018).

**Engineering measures:** Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use with local exhaust ventilation or while wearing appropriate respirator. Vapour heavier than air - prevent concentration in hollows or sumps. DO NOT enter confined spaces where vapour may have collected. Keep containers closed when not in use.

Personal protection equipment: G: OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, RESPIRATOR.

**Skin:** Wear overalls, safety glasses and impervious gloves. Use with adequate ventilation. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment.

Eyes: Splash resistant Safety Glasses with side shields or safety goggles (AS/NZS 1337) are recommended.

**Inhalation:** If inhalation risk exists wear organic vapour/particulate respirator (half or full mask with P2 dust filter) meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Hygiene measures:** When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid skin and eye contact and inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Colour: Transparent white

Odour / Odour threshold: Mild pH: 7-9
Density (g/cm³): 1.24

Kinematic viscosity: Testing not relevant or not possible due to the nature of the product.

Particle characteristics: Not applicable

**Phase changes** 

Melting point/Freezing point (°C): Not applicable

Softening point/range (waxes and

pastes) (°C): Does not apply to liquids.

Boiling point (°C): 100-631 Vapour pressure: 2309 Pa (20 °C)

Relative vapour density: Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C): Not applicable

Data on fire and explosion hazards

Flash point (°C): Not applicable

Flammability (°C): 260

Auto-ignition temperature (°C): Not applicable

Lower and upper explosion limit (%

v/v): Not applicable

Solubility

Solubility in water: Completely soluble n-octanol/water coefficient: Not applicable Solubility in fat (g/L): Not applicable

Product name: Fireshield TimberOne SDS No: FSTOBNZ01

Issued: 01 December 2023 Page: 3 of 5





### Other information

Evaporation rate (n-butylacetate =

100): Not applicable

VOC (g/L): 38

Other physical and chemical

parameters: No data available.

### 10. STABILITY AND REACTIVITY

There is no test data for the reactivity of this product. The products are chemically stable and have no reactivity therefore; it is not expected to produce hazardous reactions. Incompatible materials include strong acids, strong bases, strong oxidizing agents, and strong reducing agents. There are no conditions to avoid.

Product name: Fireshield TimberOne SDS No: FSTOBNZ01

Issued: 01 December 2023

Page: 4 of 5



### 11. TOXICOLOGICAL INFORMATION

There are no data available for the product itself.

**Acute toxicity:** Product/substance: Propane-1,2-diol

Species: Rat
Route of exposure: Oral
Test: LD50

Result: 22000 mg/kg

Product/substance: Propane-1,2-diol

Species: Rabbit

Route of exposure: Inhalation
Test: LC50
Result: 317042 mg/L

Product/substance: Propane-1,2-diol

Species: Rabbit

Route of exposure: Dermal Test:: LD50

Result: >2000 mg/kg

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Product/substance: Propane-1,2-diol

Species: Rabbit

Duration: No data available.

Result: No adverse effect observed (Not irritating)

Respiratory sensitisation: Based on available data, the classification criteria are not met.

Skin sensitisation: Product/substance: Propane-1,2-diol

Species: Rabbit

Result: No adverse effect observed (not sensitising)

Product/substance: Propane-1,2-diol Test method: OECD 406 Species: Guinea pig

Result: No adverse effect observed (not sensitising)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.
STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Product/substance: Propane-1,2-diol

Species:

Route of exposure:

Target organ: Central nervous system Duration: No data available.

Test:

Result: No adverse effect observed (not sensitising)

Product name: Fireshield TimberOne SDS No: FSTOBNZ01

Issued: 01 December 2023

Page: 5 of 5





Conclusion: Adverse effect observed

Aspiration hazard: Based on available data, the classification criteria are not met.

Long term effects: None known.
Endocrine disrupting properties: Not applicable.
Other information: None known

### **12. ECOLOGICAL INFORMATION**

Avoid contaminating waterways.

#### 12.1. Toxicity

Product/substance: Propane-1,2-diol

Species: Fish

Duration: 96 hours
Test: LC50

Result: 40613 mg/L

Product/substance: Propane-1,2-diol

Species: Daphnia

Duration: 48 hours

Test: LC50

Result: 18340 mg/L

Product/substance: Propane-1,2-diol

Species: Bacteria

Duration: 24 hours

Test: NOEC

Result: 20000 mg/L

Product/substance: Propane-1,2-diol

Species: Daphnia
Duration: 7 days
Test: NOEC

Result: 13020 mg/L

12.2. Persistence and

**Degradability** No data available.

Product name: Fireshield TimberOne SDS No: FSTOBNZ01

Issued: 01 December 2023 Page: 6 of 5



12.3. Bioaccumulative

Potential Product/substance: Propane-1,2-diol

Test method:

Potential

bioaccumulation: No data available.

LogPow: -1.07 BCF: 0.09

Other information:

**12.4. Mobility in soil** No data available.

12.5. Results of PBT and vPvB

Assessment This mixture/product does not contain any substances considered to meet

the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting

**Properties** Not applicable.

**12.7. Other adverse effects** None known.

### 13. DISPOSAL CONSIDERATIONS

Recycle wherever possible. Do not allow to enter drains and watercourses. Waste should be disposed of according to local regulation. Bulk or contaminated product may be disposed of through an approved hazardous waste contractor. Small quantities may be disposed of through normal household/commercial waste removal facilities. This product is not classified as hazardous waste.

### **14. TRANSPORT INFORMATION**

Not classified as a Dangerous Good according to NZS 5433.

UN No:

Proper Shipping Name:

Dangerous Goods Class:

Packing Group:

Not applicable

Not applicable

### 15. REGULATORY INFORMATION

The preparation has been assessed following the New Zealand EPA method for the Assigning a Product to a HSNO Approval publication and is not classified as harmful. This preparation is not classified as a health or environmental hazard according to the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

Product name: Fireshield TimberOne SDS No: FSTOBNZ01

Issued: 01 December 2023 Page: 7 of 5



### **16. OTHER INFORMATION**

#### Abbreviations / Terminology:

AS/NZS 1337 Personal eye-protection

AS/NZS 1715 Selection Use and Maintenance of Respiratory Protective Devices

AS/NZS 1716 Respiratory Protective Devices

AS/NZS Joint Australian New Zealand Standard

CAS# Chemical Abstract Service number (a unique identifier for chemicals)

CCID Chemical Classification and Information Database

HSNO Hazardous Substances and New Organisms (New Zealand)

NZS 5433 Transport of Dangerous Goods on Land
NZS New Zealand Standard SDS Safety Data Sheet

STEL Short Term Exposure Limit
WES Workplace Exposure Standard

Prepared with reference to: EPA - Hazardous Substances (Safety Data Sheets) Notice 2017.

**Current Version:** 01 December 2023

**Revision Information:** SDS will be revised every 5 years.

**This revision:** Updated to meet New Zealand requirements.

Previous version dated: -

#### Disclaimer:

This safety data sheet attempts to describe as accurately as possible the potential exposures associated with normal use of the product described herein. Health and safety precautions in the data sheet may not be adequate for all individuals and/or situations. Users have the responsibility to evaluate and use this product safely and to comply with all applicable laws and regulations. Whilst the information contained in this document is based on data, which, to the best of our knowledge, was accurate and reliable at the time of preparation, no warranty or responsibility can be accepted by Chemsafety Ltd for errors and omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their purposes and specific circumstances. Since the information contained in the document may be applied under conditions beyond our control, no responsibility can be accepted by us for any loss or damage caused by any person acting or refraining from action as a result of this information. The user is responsible for that last revision of this document is used. Please check on <a href="https://www.fireshieldcoatings.com">www.fireshieldcoatings.com</a>.

End of SDS

Product name: Fireshield TimberOne SDS No: FSTOBNZ01

Issued: 01 December 2022

Page: 8 of 5

Issued: 01 December 2023